Author Index[1]

ABER, JOHN D., 28:31
AMERSON, H. V., 28:822
ARP, PAUL A., 28:613
ASKEW, GEORGE R., 28:148
BAKER, F. A., 28:590
BARKER, PHILIP A., 28:563
BASSMAN, JOHN H., 28:599
BEYERHELM, CARL D., 28:177
BIBLE, THOMAS D., 28:697
BINGHAM, GAIL E., 28:257
BINKLEY, DAN, 28:720
BLANKENHORN, P. R., 28:459
BLAZICH, FRANK A., 28:337
BONGARTEN, BRUCE C., 28:129
BOWERSOX, T. W., 28:459
BRIDGEN, M. R., 28:582
BRISTER, GRAHAM H., 28:115
BRODIE, J. DOUGLAS, 28:517
BRUCE, DAVID, 28:489
BRYAN, WILLIAM C., 28:531
BUHYOFF, GREGORY J., 28:827
BUONGIORNO, JOSEPH, 28:207
BURK, THOMAS E., 28:753
BURKHART, HAROLD E., 28:544
BURNETT, MICHAEL S., 28:400
BURROWS, PETER M., 28:148
CAMPBELL, T. E., 28:539
CANNELL, G.H., 28:556
CEULEMANS, R., 28:862
CLARK, PETER R., 28:556
CLINE, MICHAEL L., 28:237
COCHRAN, P. H., 28:172
COMERFORD, M. B., 28:471; 28:481
CONARD, S. G., 28:309
CONDE, LOUIS F., 28:201 (rev.)
CORDELL, C. E., 28:373
COYNE, PATRICK I., 28:257
CRAM, W. H., 28:809
CRANDALL, D. A., 28:117
CRITCHFIELD, WILLIAM B., 28:687
CROMACK, KERMIT, JR., 28:720
CURTIS, ROBERT O., 28:92
DANIEL, TERRY C., 28:827
DANIELS, RICHARD F., 28:202
DAWSON, JEFFREY O., 28:49
DEVAN, JAMES S., 28:544
DICKMANN, DONALD I., 28:599
DUVICK, D., 28:60
ECKERT, ROBERT T., 28:661
EK, ALAN R., 28:753
EWEL, JOHN J., 28:422 (rev.)
EWEL, KATHERINE CARTER, 28:400
FARMER, R. E., JR., 28:776 (rev.)
FARRAR, ROBERT M., 28:105
FEDERER, C. ANTHONY, 28:31; 28:666 (rev.)
FELKER, PETER, 28:556
FERRELL, WILLIAM K., 28:488 (rev.); 28:627
FISHER, R. F., 28:509
FREDRIKSEN, RICHARD L., 28:720
FREEMAN, D. CARL, 28:304; 28:563
FRENCH, D. W., 28:590
GODDARD, R. E., 28:71
GOODWIN, O. C., 28:373
GREBER, BRIAN J., 28:135
GREGOIRE, TIMOTHY G., 28:504
GRESHAM, CHARLES A., 28:223
GUNTER, JOHN E., 28:175
HAISSIG, BRUCE, 28:813
HANEY, HARRY L., JR., 28:175
HANN, DAVID W., 28:517
HANOVER, JAMES W., 28:129; 28:582
HANSEN, EDWARD A., 28:49
HARI, P., 28:573
HARPER, KIMBALL T., 28:563
HARVEY, ALAN E., 28:292
HAWORTH, JEAN, 28:181
HEDDEN, ROY L., 28:202
HEIDMANN, L. J., 28:156
HEPP, TODD E., 28:115
HERMANN, R. K., 28:70 (rev.)
HINESLEY, L. ERIC, 28:772
HOLLIS, C. A., 28:509
HOUGH, WALTER A., 28:359
HOUSTON, DANIEL B., 28:661
IMPENS, I., 28:862
JOHNSON, D. W., 28:725
JOHNSON, JON D., 28:516 (rev.)
JONSSON, BENGT, 28:2
JURGENSEN, MARTIN F., 28:292
KANNINEN, M., 28:573
KAO, CHIANG, 28:711
KELLEY, W. D., 28:232
KELLOMÄKI, S., 28:573
KELLY, J. M., 28:725
KENNEY, D. S., 28:373
KLEMPERER, W. DAVID, 28:175
KORMANIK, PAUL P., 28:531
KRAUSE, HELMUT H., 28:613
KROPP, BRADLEY R., 28:706
LAARMAN, JAN G., 28:79
LARSEN, A. O., 28:191
LARSEN, MICHAEL J., 28:292
LARSON, PHILIP R., 28:487 (rev.)
LEAF, A. L., 28:471; 28:481
LINDQUIST, C. H., 28:809
LUVALL, JEFFREY C., 28:5
LUXMOORE, R. J., 28:17
MADANY, MICHAEL H., 28:856
MANN, L. K., 28:60
MARTIGNONI, MAURO E., 28:187 (rev.)
MARTIN, GEORGE L., 28:45; 28:110
MARX, D. H., 28:373
MATÉRN, BERTIL, 28:2
MATNEY, THOMAS G., 28:161; 28:274
MCARTHUR, E. DURANT, 28:304
MCCONATHY, R. K., 28:60
MCCORMICK, L. H., 28:681
MCLAUGHLIN, S. B., 28:60
MCRAE, JOHN, 28:732
MELILLO, JERRY M., 28:31
MICHAEL, DONALD, 28:737
MILES, RICHARD S., 28:283
MOLINA, RANDY J., 28:373; 28:423
MOTT, R. L., 28:822
MURPHY, CHARLES E., JR., 28:5
MURPHY, ELLYN M., 28:627
MURPHY, PAUL A., 28:105
NANCE, WARREN L., 28:797
NASH, PHYLLIS, 28:556
NAVRATIL, S., 28:373
NELSON, NEIL D.,28:737
NESSEL, JOHN K., 28:400
OSBORN, JOSEPH F., 28:556
PARLAR, MAHMUT, 28:345
PAWUK, W. H.,28:373
PETERSON, DAVID L., 28:321; 28:667
PIETARINEN, I., 28:573
PINKER, R. T., 28:297
PITCHER, JOHN A., 28:251
PUROHIT, A. N., 28:526
RADOSEVICH, S. R., 28:309
REED, DAVID D., 28:202
REID, C. P. PATRICK, 28:237
RIFFLE, JERRY W., 28:373; 28:646
RIITTERS, KURT, 28:517
ROCKEL, MARK L., 28:207
ROLFE, GARY L., 28:321; 28:667
ROSE, D. W., 28:590
RUEHLE, J. L., 28:373
SANDO, RODNEY W., 28:177
SCHLAEGEL, BRYCE E., 28:355
SCHULTZ, RICHARD C., 28:531
SHARMA, M. M., 28:526
SHUMWAY, DURLAND L., 28:639
SINCLAIR, W. A., 28:191
SMITH, E. LAMAR, 28:127 (rev.)
SMITH, J. E., 28:509
SORENSEN, FRANK C., 28:283
SQUILLACE, A. E., 28:71
STAUFFER, HOWARD B., 28:777
STOUT, BENJAMIN B., 28:639
STRAUSS, STEVEN H., 28:687
STRUVE, DANIEL K., 28:337
SULLIVAN, ALFRED D., 28:161; 28:274
SUSOTT, RONALD A., 28:404; 28:839
SWETNAM, THOMAS W., 28:856
SWITZER, GEORGE L., 28:797
SYLVIA, D. M., 28:191
TAPPEINER, JOHN C., 28:190 (rev.)
THAPLIYAL, R. C., 28:526
THIRGOOD, J. V., 28:825
THOR, EYVIND, 28:732
TINUS, RICHARD W., 28:373; 28:646
TOBOLSKI, JAMES J., 28:785
TRAPPE, JAMES M., 28:423
VAN BUIJTENEN, J. P., 28:745
VAN WAGNER, C. E., 28:852
VICKSON, R. G., 28:345
VINCENT, PETER J., 28:181
WARD, H. A., 28:681
WARING, RICHARD H., 28:469 (rev.)
WELMMAN, J. DOUGLAS, 28:827
WELLS, OSBORN O., 28:797
WEST, NEIL E., 28:856
WEST, PATRICK C., 28:95
WEYERS, R. E., 28:459
WHITE, DAVID E., 28:135
ZAEPR, JOE B., 28:219
ZINKER, DUANE F., 28:785

[1] (rev.) = book review.

Author Index[1]

ABER, JOHN D., 28:31
AMERSON, H. V., 28:822
ARP, PAUL A., 28:613
ASKEW, GEORGE R., 28:148
BAKER, F. A., 28:590
BARKER, PHILIP A., 28:563
BASSMAN, JOHN H., 28:599
BEYERHELM, CARL D., 28:177
BIBLE, THOMAS D., 28:697
BINGHAM, GAIL E., 28:257
BINKLEY, DAN, 28:720
BLANKENHORN, P. R., 28:459
BLAZICH, FRANK A., 28:337
BONGARTEN, BRUCE C., 28:129
BOWERSOX, T. W., 28:459
BRIDGEN, M. R., 28:582
BRISTER, GRAHAM H., 28:115
BRODIE, J. DOUGLAS, 28:517
BRUCE, DAVID, 28:489
BRYAN, WILLIAM C., 28:531
BUHYOFF, GREGORY J., 28:827
BUONGIORNO, JOSEPH, 28:207
BURK, THOMAS E., 28:753
BURKHART, HAROLD E., 28:544
BURNETT, MICHAEL S., 28:400
BURROWS, PETER M., 28:148
CAMPBELL, T. E., 28:539
CANNELL, G.H., 28:556
CEULEMANS, R., 28:862
CLARK, PETER R., 28:556
CLINE, MICHAEL L., 28:237
COCHRAN, P. H., 28:172
COMERFORD, M. B., 28:471; 28:481
CONARD, S. G., 28:309
CONDE, LOUIS F., 28:201 (rev.)
CORDELL, C. E., 28:373
COYNE, PATRICK I., 28:257
CRAM, W. H., 28:809
CRANDALL, D. A., 28:117
CRITCHFIELD, WILLIAM B., 28:687
CROMACK, KERMIT, JR., 28:720
CURTIS, ROBERT O., 28:92
DANIEL, TERRY C., 28:827
DANIELS, RICHARD F., 28:202
DAWSON, JEFFREY O., 28:49
DEVAN, JAMES S., 28:544
DICKMANN, DONALD I., 28:599
DUVICK, D., 28:60
ECKERT, ROBERT T., 28:661
EK, ALAN R., 28:753
EWEL, JOHN J., 28:422 (rev.)
EWEL, KATHERINE CARTER, 28:400
FARMER, R. E., JR., 28:776 (rev.)
FARRAR, ROBERT M., 28:105
FEDERER, C. ANTHONY, 28:31; 28:666 (rev.)
FELKER, PETER, 28:556
FERRELL, WILLIAM K., 28:488 (rev.); 28:627
FISHER, R. F., 28:509
FREDRIKSEN, RICHARD L., 28:720
FREEMAN, D. CARL, 28:304; 28:563
FRENCH, D. W., 28:590
GODDARD, R. E., 28:71
GOODWIN, O. C., 28:373
GREBER, BRIAN J., 28:135
GREGOIRE, TIMOTHY G., 28:504
GRESHAM, CHARLES A., 28:223
GUNTER, JOHN E., 28:175
HAISSIG, BRUCE, 28:813
HANEY, HARRY L., JR., 28:175
HANN, DAVID W., 28:517
HANOVER, JAMES W., 28:129; 28:582
HANSEN, EDWARD A., 28:49
HARI, P., 28:573
HARPER, KIMBALL T., 28:563
HARVEY, ALAN E., 28:292
HAWORTH, JEAN, 28:181
HEDDEN, ROY L., 28:202
HEIDMANN, L. J., 28:156
HEPP, TODD E., 28:115
HERMANN, R. K., 28:70 (rev.)
HINESLEY, L. ERIC, 28:772
HOLLIS, C. A., 28:509
HOUGH, WALTER A., 28:359
HOUSTON, DANIEL B., 28:661
IMPENS, I., 28:862
JOHNSON, D. W., 28:725
JOHNSON, JON D., 28:516 (rev.)
JONSSON, BENGT, 28:2
JURGENSEN, MARTIN F., 28:292
KANNINEN, M., 28:573
KAO, CHIANG, 28:711
KELLEY, W. D., 28:232
KELLOMÄKI, S., 28:573
KELLY, J. M., 28:725
KENNEY, D. S., 28:373
KLEMPERER, W. DAVID, 28:175
KORMANIK, PAUL P., 28:531
KRAUSE, HELMUT H., 28:613
KROPP, BRADLEY R., 28:706
LAARMAN, JAN G., 28:79
LARSEN, A. O., 28:191
LARSEN, MICHAEL J., 28:292
LARSON, PHILIP R., 28:487 (rev.)
LEAF, A. L., 28:471; 28:481
LINDQUIST, C. H., 28:809
LUVALL, JEFFREY C., 28:5
LUXMOORE, R. J., 28:17
MADANY, MICHAEL H., 28:856
MANN, L. K., 28:60
MARTIGNONI, MAURO E., 28:187 (rev.)
MARTIN, GEORGE L., 28:45; 28:110
MARX, D. H., 28:373
MATÉRN, BERTIL, 28:2
MATNEY, THOMAS G., 28:161; 28:274
MCARTHUR, E. DURANT, 28:304
MCCONATHY, R. K., 28:60
MCCORMICK, L. H., 28:681
MCLAUGHLIN, S. B., 28:60
MCRAE, JOHN, 28:732
MELILLO, JERRY M., 28:31
MICHAEL, DONALD, 28:737
MILES, RICHARD S., 28:283
MOLINA, RANDY J., 28:373; 28:423
MOTT, R. L., 28:822
MURPHY, CHARLES E., JR., 28:5
MURPHY, ELLYN M., 28:627
MURPHY, PAUL A., 28:105
NANCE, WARREN L., 28:797
NASH, PHYLLIS, 28:556
NAVRATIL, S., 28:373
NELSON, NEIL D.,28:737
NESSEL, JOHN K., 28:400
OSBORN, JOSEPH F., 28:556
PARLAR, MAHMUT, 28:345
PAWUK, W. H.,28:373
PETERSON, DAVID L., 28:321; 28:667
PIETARINEN, I., 28:573
PINKER, R. T., 28:297
PITCHER, JOHN A., 28:251
PUROHIT, A. N., 28:526
RADOSEVICH, S. R., 28:309
REED, DAVID D., 28:202
REID, C. P. PATRICK, 28:237
RIFFLE, JERRY W., 28:373; 28:646
RIITTERS, KURT, 28:517
ROCKEL, MARK L., 28:207
ROLFE, GARY L., 28:321; 28:667
ROSE, D. W., 28:590
RUEHLE, J. L., 28:373
SANDO, RODNEY W., 28:177
SCHLAEGEL, BRYCE E., 28:355
SCHULTZ, RICHARD C., 28:531
SHARMA, M. M., 28:526
SHUMWAY, DURLAND L., 28:639
SINCLAIR, W. A., 28:191
SMITH, E. LAMAR, 28:127 (rev.)
SMITH, J. E., 28:509
SORENSEN, FRANK C., 28:283
SQUILLACE, A. E., 28:71
STAUFFER, HOWARD B., 28:777
STOUT, BENJAMIN B., 28:639
STRAUSS, STEVEN H., 28:687
STRUVE, DANIEL K., 28:337
SULLIVAN, ALFRED D., 28:161; 28:274
SUSOTT, RONALD A., 28:404; 28:839
SWETNAM, THOMAS W., 28:856
SWITZER, GEORGE L., 28:797
SYLVIA, D. M., 28:191
TAPPEINER, JOHN C., 28:190 (rev.)
THAPLIYAL, R. C., 28:526
THIRGOOD, J. V., 28:825
THOR, EYVIND, 28:732
TINUS, RICHARD W., 28:373; 28:646
TOBOLSKI, JAMES J., 28:785
TRAPPE, JAMES M., 28:423
VAN BUIJTENEN, J. P., 28:745
VAN WAGNER, C. E., 28:852
VICKSON, R. G., 28:345
VINCENT, PETER J., 28:181
WARD, H. A., 28:681
WARING, RICHARD H., 28:469 (rev.)
WELMMAN, J. DOUGLAS, 28:827
WELLS, OSBORN O., 28:797
WEST, NEIL E., 28:856
WEST, PATRICK C., 28:95
WEYERS, R. E., 28:459
WHITE, DAVID E., 28:135
ZAEPR, JOE B., 28:219
ZINKER, DUANE F., 28:785

[1] (rev.) = book review.

Key-Word Index

Abies concolor
Estimating wood volumes for Douglas-fir and white fir from outside bark measurements. **28:172**
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
Abies fraseri
Cold storage of Fraser fir seedlings. **28:772**
Abies grandis
Estimating wood volumes for Douglas-fir and white fir from outside bark measurements. **28:172**
Abies procera
Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine, and noble fir to 10 years of age. **28:283**
abscisic acid
Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**
Acer grandidentatum
Variation in the breeding system of *Acer grandidentatum*. **28:563**
Acer negundo
Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
Acer saccharinum
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
Acer saccharum
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
acid phosphatase
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
acid variation
Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris*, *P. nigra*, and *P. strobus*. **28:785**
adventitious roots
Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
aerial fertilization
Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed. **28:613**
air pollution
Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
albedo
The diurnal asymmetry in the albedo of tropical forest vegetation. **28:29**
allelopathy
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
Eastern hemlock allelopathy. **28:681**
allometric function
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
Alnus glutinosa
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
***Alnus/Populus* mixture**
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
α-pinene
Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**
amino acid
Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
Arceuthobium pusillum
DMLOSS: a simulator of losses in dwarf mistletoe infested black spruce stands. **28:590**
Arctostaphylos
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
ash, green (*see* ***Fraxinus pennsylvanica***)
ash contents
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
aspen (*see* ***Populus tremuloides***)
assimilation
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus 'Tristis #1'* grown under intensive culture. **28:737**
Atriplex
A comparison of twig water stress between males and females of six species of desert shrubs. **28:304**
Austrian pine (*see* ***Pinus nigra***)
auxin
Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings. **28:337**
backcountry forest recreation
Effects of user behavior on the perception of crowding in backcountry forest recreation. **28:95**
bark measurement
Estimating wood volumes for Douglas-fir and white fir from outside bark measurements. **28:172**
basal area
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
base-age invariant
Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**
Bayes estimation
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**
Bayleton®
Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**
beetle outbreak probability
Estimating the annual probability of southern pine beetle outbreak. **28:202**
behavioral norms
Effects of user behavior on the perception of crowding in backcountry forest recreation. **28:95**
β-pinene
Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**
biological control
Disease suppression and growth promotion in Doug-

las-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
biomass
Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
Energy relationships for selected cultural investments. **28:459**
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. **28:177**
Screening *Prosopis* (mesquite) for cold tolerance. **28:556**
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
black cherry (*see* ***Prunus serotina***)
black spruce (*see* ***Picea mariana***)
black walnut (*see* ***Juglans nigra***)
blue spruce (*see* ***Picea pungens***)
bottomland forest
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
boundary overlap correction
The unbiasedness of the mirage correction procedure for boundary overlap. **28:504**
boxelder (*see* ***Acer negundo***)
branchwood weight
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
breeding plans
Experimental inbreeding depression. **28:148**
breeding system reaction
Variation in the breeding system of *Acer grandidentatum*. **28:563**
brown-rotted wood
N_2 fixation in brown-rotted soil wood in an Intermountain cedar-hemlock ecosystem. **28:292**
bud abortion
Cold storage of Fraser fir seedlings. **28:772**
bush chinguapin (*see* ***Chrysolepis sempervirens***)
butt log volume
Butt log volume estimators. **28:489**
calorimetry
Differential scanning calorimetry of forest fuels. **28:839**
canyon maple (*see* ***Acer grandidentatum***)
capital efficiency
Technical change and productivity growth in the lumber and wood products industry. **28:135**
carbohydrate concentration
Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
carbon
Nitrogen accretion and availability in some snowbrush ecosystems. **28:720**
carbon-14
Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**
$^{14}CO_2$ uptake
Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
carrying capacity
Effects of user behavior on the perception of crowding in backcountry forest recreation. **28:95**
***Carya* spp.**
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
Ceanothus velutinus
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
Nitrogen accretion and availability in some snowbrush ecosystems. **28:720**
cedar-hemlock ecosystem
N_2 fixation in brown-rotted soil wood in an Intermountain cedar-hemlock ecosystem. **28:292**
Cenococcum geophilum
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**
Formation of mycorrhizae on nonmycorrhizal western hemlock outplantings on rotten wood and mineral soil. **28:706**
chaparral shrubs
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
charring
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
Differential scanning calorimetry of forest fuels. **28:839**
cherry, black (*see* ***Prunus serotina***)
chinquapin, bush (*see* ***Chrysolepis sempervirens***)
chlorophyll mutants
Selfing in clonal seed orchards of slash pine. **28:71**
chlorotic decline
Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**
Christmas trees
Cold storage of Fraser fir seedlings. **28:772**
Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings. **28:337**
Chrysolepis sempervirens
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
clonal seed orchards
Selfing in clonal seed orchards of slash pine. **28:71**
clone tolerance
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
coastal Douglas-fir (*see* ***Pseudotsuga menziesii***)
coefficient of variation
A sample size table for forest sampling. **28:777**
cold storage
Cold storage of Fraser fir seedlings. **28:772**
cold tolerance
Screening *Prosopis* (mesquite) for cold tolerance. **28:556**
combustion heat
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
competition
A simple index of stand density for Douglas-fir. **28:92**
computer model
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**

conductance
Effects of defoliation in the developing leaf zone on young *populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
construction costs
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
container-grown seedlings
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
continuous forest inventory
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
cortex resin acid
Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris, P. nigra,* and *P. strobus*. **28:785**
cortical monoterpene variation
Cortical monoterpene variation in 12 loblolly pine provenances planted in Tennessee. **28:732**
cost
Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**
cost function
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
Cronartium quercuum
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**
crowding
Effects of user behavior on the perception of crowding in backcountry forest recreation. **28:95**
crown biomass
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
crown nutrient sampling
An evaluation of techniques for sampling forest tree nutrient content. Part I. Sampling the crown for total nutrient content. **28:471**
cubic-foot volume
Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**
cultural investments
Energy relationships for selected cultural investments. **28:459**
cuttings
Carbohydrate and amino acid concentrations during adventious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
cypress dome
Wastewater enrichment increases mature pondcypress growth rates. **28:400**
cypress strand
Wastewater enrichment increases mature pondcypress growth rates. **28:400**
decomposition
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
defoliation effect
Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
demand functions
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
dendrochronology
Comparison of two approaches for determining fire dates from tree scars. **28:856**
Dendroctonus frontalis
Estimating the annual probability of southern pine beetle outbreak. **28:202**
density
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
desert shrubs
A comparison of twig water stress between males and females of six species of desert shrubs. **28:304**
desiccation
Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**
deterministic model
Optimal stocking levels and rotation under risk. **28:711**
diameter
Site quality estimation using height and diameter. **28:639**
diameter distribution
Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**
diameter growth
A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**
differential equations
Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**
differential scanning calorimetry
Differential scanning calorimetry of forest fuels. **28:839**
diffusive resistance
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus 'Tristis #1'* grown under intensive culture. **28:737**
dinitrogen fixation
N_2 fixation in brown-rotted soil wood in an Intermountain cedar-hemlock ecosystem. **28:292**
direct seeding
Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**
disc models
A theoretical note on spatial pattern of discs and properties of simplicial graph. **28:181**
disease suppression
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
diterpene resin acids
Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris, P. nigra,* and *P. strobus*. **28:785**
diurnal asymmetry
The diurnal asymmetry in the albedo of tropical forest vegetation. **28:297**
DMLOSS simulator
DMLOSS: a simulator of losses in dwarf mistletoe infested black spruce stands. **28:590**
dogfennel (*see* ***Eupatorium capillifolium***)
dominance
Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**
dormancy
Effect of selected natural and synthetic growth regulators on the growth of ponderosa pine seedlings. **28:156**
Douglas-fir (*see* ***Pseudotsuga menziesii***)

drainage
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
dry weight
Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**
dwarf mistletoe (*see* ***Arceuthobium pusillum***)
dynamic programming
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **27:517**
Optimal stocking levels and rotation under risk. **28:711**
eastern hemlock (*see* ***Tsuga canadensis***)
eastern white pine (*see* ***Pinus strobus***)
economic development
Labor intensity and sawmill scale in a labor surplus economy. **28:79**
ECOPASS
ECOPASS—A multivariate model used as an index of growth performance of poplar clones. **28:862**
ectomycorrhizae
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**
Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**
ectomycorrhizal host specificity
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
efficiency
Technical change and productivity growth in the lumber and wood products industry. **28:135**
elasticities
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
empirical Bayes estimation
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**
employment generation
Labor intensity and sawmill scale in a labor surplus economy. **28:79**
energy
Phytomass and nutrients in the understory and forest floor of slash/longfleaf pine stands. **28:359**
energy relationships
Energy relationships for selected cultural investments. **28:459**
enzymes
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
Ephedra
A comparison of twig water stress between males and females of six species of desert shrubs. **28:304**
epidemiology
DMLOSS: a simulator of losses in dwarf mistletoe infested black spruce stands. **28:590**
equivalent stationary costs
Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**
estimating ingrowth
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
estimating outbreak probability
Estimating the annual probability of southern pine beetle outbreak. **28:202**
estimating tree competition
Estimation of individual tree competition from horizontal point sample data. **28:45**
estimation efficiency
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**
Eupatorium capillifolium
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
evapotranspiration
Evaluation of the tritiated water method for measurement of transpiration in young *Pinus taeda* L. **28:5**
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
exchange
Evaluation of the tritiated water method for measurement of transpiration in young *Pinue taeda* L. **28:5**
exponential distribution
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
extrudate
Pressure chamber device to collect xylem sap from forest trees. **28:219**
fertilized watershed
Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed. **28:613**
fertilizer application effect
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**
fetterbush (*see* ***Lyonia lucida***)
fiber yield
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**
fir, Fraser (*see* ***Abies fraseri***)
fir, noble (*see* ***Abies procera***)
fir, white (*see* ***Abies concolor***)
fire behavior
Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. **28:177**
fire control
Optimal forest fire control: an extension of Parks' model. **28:345**
fire frequency
Comparison of two approaches for determining fire dates from tree scars. **28:856**
fire history
Comparison of two approaches for determining fire dates from tree scars. **28:856**
flammability
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
Differential scanning calorimetry of forest fuels. **28:839**
floodplain forest
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois. **28:321**
forage
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**
forest economics
A note on forest land values and return on investment. **28:175**

forest fire control
Optimal forest fire control: an extension of Parks' model. **28:345**
forest floor
Litterfall patterns in mature loblolly and longleaf pine stands in coastal South Carolina. **28:223**
Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**
Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois. **28:321**
forest floor nitrate content
Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed. **28:613**
forest fuels
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
Differential scanning calorimetry of forest fuels. **28:839**
forest growth modeling
Estimation of individual tree competition from horizontal point sample data. **28:45**
forest inventory
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
Sample plots on sloping ground. **28:2**
forest land values
A note on forest land values and return on investment. **28:175**
forest products
Technical change and productivity growth in the lumber and wood products industry. **28:135**
forest-range management
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:157**
forest sampling
Estimation of individual tree competition from horizontal point sample data. **28:45**
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
The unbiasedness of the mirage correction procedure for boundary overlap. **28:504**
forest soil fertility
Nitrogen accretion and availability in some snowbrush ecosystems. **28:720**
forest tree nurseries
Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**
Fraser fir (*see* ***Abies fraseri***)
Fraxinus pennsylvanica
Germination of green ash is related to seed moisture content at harvest. **28:807**
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
fruitlessness
Variation in the breeding system of *Acer grandidentatum*. **28:563**
fuel heat
Differential scanning calorimetry of forest fuels. **28:839**
fuel loading
Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. **28:177**
fuel volume estimation
Graphical estimation of quadratic mean diameters in the line intersect method. **28:852**
fungal symbionts
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**
fungi
Formation of mycorrhizae on nonmycorrhizal western hemlock outplantings on rotten wood and mineral soil. **28:706**
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
fungicide
Effect of triadimefon (Bayltone) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**
fungus effects
Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**
Fusarium oxysporum
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
fusiform rust
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**
gallberry (*see* ***Ilex glabra***)
gamma-distribution model
Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed. **28:613**
gas chromatography
Cortical monoterpene variation in 12 loblolly pine provenances planted in Tennessee. **28:732**
gene markers
Selfing in clonal seed orchards of slash pine. **28:71**
genecology
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
genetic model
A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**
genetic variation
Genetic variation in oleoresin physiology of Scotch pine. **28:582**
genotype-environment interaction
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
geographic source
Phenotype selection and half-sib family performance in black cherry. **28:251**
germinating southern pine
Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**
germination
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
germination/seed moisture content
Germination of green ash is related to seed moisture content at harvest. **28:809**
gibberellins
Effect of selected natural and synthetic growth regulators on the growth of ponderosa pine seedlings. **28:156**
grazing yield optimization
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**
green ash (*see* ***Fraxinus pennsylvanica***)
green weight
Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**

growth
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**
A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**
growth estimating
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
growth rate increase
Wastewater enrichment increases mature pondcypress growth rates. **28:400**
growth regulators
Effect of selected natural and synthetic growth regulators on the growth of ponderosa pine seedlings. **28:156**
Improved rooting of western white pine shoots from tissue cultures. **28:822**
growth response
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
habitat type
Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**
hardboard
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
hardwood forests
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**
hardwood site index
Site quality estimation using height and diameter. **28:639**
hardwood stands
Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. **28:177**
harvest costs
Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**
harvest intensity effect
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**
harvest site sequencing
Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**
heat content
Differential scanning calorimetry of forest fuels. **28:839**
heat of combustion
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
height
Site quality estimation using height and diameter. **28:639**
height growth
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine, and noble fir to 10 years of age. **28:283**
height predictors
Variable top volume and height predictors for slash pine trees. **28:274**
hemlock, eastern (*see* ***Tsuga canadensis***)
hemlock, western (*see* ***Tsuga heterophylla***)
horizontal point samples
Estimation of individual tree competition from horizontal point sample data. **28:45**
hormones
Pressure chamber device to collect xylem sap from forest trees. **28:219**
host specificity
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
host system
A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**
HTO (tritiated water)
Evaluation of the tritiated water method for measurement of transpiration in young *Pinus taeda* L. **28:5**
hybrid poplar (*see* ***Populus* × *euramericana***)
hybridization
Hybridization among white, red, blue, and white × blue spruces. **28:129**
Ilex glabra
Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**
imbibition
Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**
inbreeding
Selfing in clonal seed orchards of slash pine. **28:71**
inbreeding depression
Experimental inbreeding depression. **28:148**
Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine, and noble fir to 10 years of age. **28:283**
indolebutyric acid
Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings. **28:337**
ingrowth estimating
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
inheritance
Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**
inoculation techniques
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
inoculum
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
insect damage visual impact
Predicting scenic quality for mountain pine beetle and western spruce budworm damaged forest vistas. **28:827**
intensive culture
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus* '*Tristis* #1' grown under intensive culture. **28:737**
Effects of user behavior on the perception of crowding in backcountry forest recreation. **28:95**
inventory estimation
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**

investment return
A note on forest land values and return on investment. **28:175**
investments
Energy relationships for selected cultural investments. **28:459**
irrigated sycamore farm
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
jack pine (*see* ***Pinus banksiana***)
James-Stein estimation
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**
Juglans nigra
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
knobcone pine (*see* ***Pinus attenuata***)
Kraft-polyethylene bags
Cold storage of Fraser fir seedlings. **28:772**
labor costs
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
labor intensity
Labor intensity and sawmill scale in a labor surplus economy. **28:79**
labor productivity
Technical change and productivity growth in the lumber and wood products industry. **28:135**
labor-surplus economy
Labor intensity and sawmill scale in a labor surplus economy. **28:79**
Laccaria laccata
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
land use
A note on forest land values and return on investment. **28:175**
landscape preference
Predicting scenic quality for mountain pine beetle and western spruce budworm damaged forest vistas. **28:827**
Larix occidentalis
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
leaching
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
leaf conductance
Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus 'Tristis #1'* grown under intensive culture. **28:737**
leaf development
Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
leaf tissue nitrogen
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
leaf water potential
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
leaf weight
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus 'tristis #1'* grown under intensive culture. **28:737**
leaves
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
lifting practices
Cold storage of Fraser fir seedlings. **28:772**
light requirements
Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**
light response
Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response. **28:257**
line intersect method
Graphical estimation of quadratic mean diameters in the line intersect method. **28:852**
linear expansion method
Estimation of individual tree competition from horizontal point sample data. **28:45**
Liquidambar styraciflua
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
litter
Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. **28:177**
litterfall decomposition
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
litterfall patterns
Litterfall patterns in mature loblolly and longleaf pine stands in coastal South Carolina. **28:223**
loblolly pine (*see* ***Pinus taeda***)
log measurements
Butt log volume estimators. **28:489**
log scaling
Butt log volume estimators. **28:489**
logarithmic bias
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
logistic regression
Estimating the annual probability of southern pine beetle outbreak. **28:202**
longleaf pine (*see* ***Pinus palustris***)
lumber industry
Technical change and productivity growth in the lumber and wood products industry. **28:135**
Lyonia lucida
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
manzanita (*see* ***Arctostaphylos patula***)
maple, canyon (*see* ***Acer grandidentatum***)
maple, sugar (*see* ***Acer saccharum***)
mathematical model
A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**
mathematical models
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
mating designs
Experimental inbreeding depression. **28:148**
mating systems
Variation in the breeding system of *Acer grandidentatum*. **28:563**
maturity
Germination of green ash is related to seed moisture content at harvest. **28:809**
merchantable volume
Variable top volume and height predictors for slash pine trees. **28:274**
mesquite (*see* ***Prosopis***)

metabolism
Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
mineral cycling
Litterfall patterns in mature loblolly and longleaf pine stands in coastal South Carolina. **28:223**
mineral nitrogen
Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed. **28:613**
mineral soil
Formation of mycorrhizae on nonmycorrhizal western hemlock outplantings on rotten wood and mineral soil. **28:706**
mineralization
Sulfur and nitrogen uptake by loblolly pine seedlings as influenced by nitrogen and sulfur addition. **28:725**
minimum principle
Optimal forest fire control: an extension of Parks' model. **28:345**
mirage correction procedure
The unbiasedness of the mirage correction procedure for boundary overlap. **28:504**
mistletoe, dwarf (*see* ***Arceuthobium pusillum***)
mixed plantations
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
monoterpene variation
Cortical monoterpene variation in 12 loblolly pine provenances planted in Tennessee. **28:732**
monoterpenes
Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**
Monterey pine (*see* ***Pinus radiata***)
mortality
Estimating the annual probability of southern pine beetle outbreak. **28:202**
mortality model
DMLOSS: a simulator of losses in dwarf mistletoe infested black spruce stands. **28:590**
mountain pine beetle scenic impact
Predicting scenic quality for mountain pine beetle and western spruce budworm damaged forest vistas. **28:827**
multiple products
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**
multivariate analysis
ECOPASS—A multivariate model used as an index of growth performance of poplar clones. **28:862**
mycology
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
mycorrhizae
Formation of mycorrhizae on nonmycorrhizal western hemlock outplantings on rotten wood and mineral soil. **28:706**
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**
mycorrhizal fungi
Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**
naphthaleneacetic acid
Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
needle growth
A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**
needle litterfall
Litterfall patterns in mature loblolly and longleaf pine stands in coastal South Carolina. **28:223**
needle oxidant injury
Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response. **28:257**
needle resin acid
Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris, P. nigra,* and *P. strobus*. **28:785**
needle weight
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
nitrogen
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed. **28:613**
Sulfur and nitrogen uptake by loblolly pine seedlings as influenced by nitrogen and sulfur addition. **28:725**
nitrogen cycle
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**
nitrogen fixation
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
Nitrogen accretion and availability in some snowbrush ecosystems. **28:720**
N_2 fixation in brown-rotted soil wood in an Intermountain cedar-hemlock ecosystem. **28:292**
noble fir (*see* ***Abies procera***)
nonconvex costs
Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**
nursery practices
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
nutrient content
An evaluation of techniques for sampling forest tree nutrient content. Part I. Sampling the crown for total nutrient content. **28:471**
An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content. **28:481**
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois. **28:321**
nutrients
Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**
oak-hickory forest
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
oak/rust
A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**
old-field plantation
Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**
oleoresin

Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**

oleoresin physiology

Genetic variation in oleoresin physiology of Scotch pine. **28:582**

oligogenic inheritance

Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**

operations research

Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**

optimal forest fire control

Optimal forest fire control: an extension of Parks' model. **28:345**

optimal harvest stopping rules

Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**

optimal stocking

Optimal stocking levels and rotation under risk. **28:711**

optimizing timber production

Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**

ozone

Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**

ozone injury

Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response. **28:257**

Parks' model extension

Optimal forest fire control: an extension of Parks' model. **28:345**

particleboard

Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**

perceived density

Effects of user behavior on the perception of crowding in backcountry forest recreation. **28:95**

peroxidase

Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**

phenotype

Variation in the breeding system of *Acer grandidentatum*. **28:563**

phenotype selection

Phenotype selection and half-sib family performance in black cherry. **28:251**

photosynthesis

ECOPASS—A multivariate model used as an index of growth performance of poplar clones. **28:862**

Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**

Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**

Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus 'Tristis #1'* grown under intensive culture. **28:737**

Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response. **28:257**

phytomass

Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**

phytomass farm

Stimulated water budgets for an irrigated sycamore phytomass farm. **28:17**

Picea glauca

Hybridization among white, red, blue, and white × blue spruces. **28:129**

Picea glauca* × *P. pungens

Hybridization among white, red, blue, and white × blue spruces. **28:129**

Picea mariana

DMLOSS: a simulator of losses in dwarf mistletoe infested black spruce stands. **28:590**

Picea pungens

Hybridization among white, red, blue, and white × blue spruces. **28:129**

Picea rubens

Hybridization among white, red, blue, and white × blue spruces. **28:129**

Picea sitchensis

Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**

pine, Austrian (*see* ***Pinus nigra***)

pine, eastern white (*see* ***Pinus strobus***)

pine, jack (*see* ***Pinus banksiana***)

pine, knobcone (*see* ***Pinus attenuata***)

pine, loblolly (*see* ***Pinus taeda***)

pine, longleaf (*see* ***Pinus palustris***)

pine, Monterey (*see* ***Pinus radiata***)

pine, ponderosa (*see* ***Pinus ponderosa***)

pine, red (*see* ***Pinus resinosa***)

pine, Scotch (*see* ***Pinus sylvestris***)

pine, Scots (*see* ***Pinus sylvestris***)

pine, slash (*see* **Pinus elliottii**)

pine, western white (*see* ***Pinus monticola***)

pine, white (*see* ***pinus strobus***)

pine duff

Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**

pine hybrids

Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**

pine/saw-palmetto/gallberry

Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**

pine stands

Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**

Pinus attenuata

Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**

Pinus banksiana

Carobhydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Pinus clausa

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Pinus contorta

Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**

Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**

Pinus echinata

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Pinus elliottii

Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**

Experimental inbreeding depression. **28:148**

Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**

Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**

A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**

Selfing in clonal seed orchards of slash pine. **28:71**

Variable top volume and height predicators for slash pine trees. **28:274**

Pinus monticola

Improved rooting of western white pine shoots from tissue cultures. **28:822**

Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**

Pinus nigra

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris, P. nigra,* and *P. strobus*. **28:785**

Pinus palustris

Litterfall patterns in mature loblolly and longleaf pine stands in coastal South Carolina. **28:223**

Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**

Pinus ponderosa

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Comparison of two approaches for determining fire dates from tree scars. **28:856**

Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**

Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**

Effect of selected natural and synthetic growth regulators on the growth of ponderosa pine seedlings. **28:156**

Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine, and noble fir to 10 years of age. **28:283**

Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**

Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**

Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response. **28:257**

Pinus radiata

Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**

Pinus resinosa

Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**

An evaluation of techniques for sampling forest tree nutrient content. Part I. Sampling the crown for total nutrient content. **28:471**

An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content. **28:481**

Pinus strobus

Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings. **28:337**

Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**

Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris, P. nigra,* and *P. strobus*. **28:785**

Pinus sylvestris

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**

Genetic variation in oleoresin physiology of Scotch pine. **28:582**

A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**

Variation in needle and cortex resin acids during shot development in *Pinus sylvestris, P. nigra,* and *P. strobus*. **28:785**

Pinus taeda

Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**

Cortical monoterpene variation in 12 loblolly pine provenances planted in Tennessee. **28:732**

Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**

Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**

Evaluation of the tritiated water method for measurement of transpiration in young *Pinus taeda* L. **28:5**

Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**

Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**

Litterfall patterns in mature loblolly and longleaf pine stands in coastal South Carolina. **28:223**

Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**

A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**

Sulfur and nitrogen uptake by loblolly pine seedlings as influenced by nitrogen and sulfur addition. **28:725**

Pinus virginiana

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**

Pisolithus tinctorius

Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**

Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**

Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**

***Pisolithus tinctorius* (Pt) index**
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
plant hormones
Effect of selected natural and synthetic growth regulators on the growth of ponderosa pine seedlings. **28:156**
plantation crown biomass
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
Platanus occidentalis
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
plot edge bias
Estimation of individual tree competition from horizontal point sample data. **28:45**
plywood
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
point sample data
Estimation of individual tree competition from horizontal point sample data. **28:45**
pollination
Selfing in clonal seed orchards of slash pine. **28:71**
pollutant stress
Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**
Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response. **28:257**
pollution tolerance
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
polymorphic site index equations
Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**
polynomial differential model
Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**
pondcypress (*see* ***Taxodium distichum*** var. ***nutans***)
ponderosa pine (see ***Pinus ponderosa***)
poplar, hybrid (*see* ***Populus* × *euramericana***)
poplar clones
ECOPASS—A multivariate model used as an index of growth performance of poplar clones. **28:862**
Populus
ECOPASS—A multivariate model used as an index of growth performance of poplar clones. **28:862**
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
Populus* × *euramericana
Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
Populus tremuloides
Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. **28:177**
***Populus* 'Tristis #1'**
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus* '*Tristis* #1' grown under intensive culture. **28:737**
precipitation components
Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois. **28:321**
predicting effects
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**
prescribed burning
Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**
pressure chamber device
Pressure chamber device to collect xylem sap from forest trees. **28:219**
prism measuring
Sample plots on sloping ground. **28:2**
probabilistic model
Optimal stocking levels and rotation under risk. **28:711**
productivity
ECOPASS—A multivariate model used as an index of growth performance of poplar clones. **28:862**
productivity growth
Technical change and productivity growth in the lumber and wood products industry. **28:135**
progeny test planting
Phenotype selection and half-sib family performance in black cherry. **28:251**
progeny tests
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
projection equations
Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**
propagation
Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings. **28:337**
propagule rooting
Improved rooting of western white pine shoots from tissue cultures. **28:822**
***Prosopis* spp.**
Screening *Prosopis* (mesquite) for cold tolerance. **28:556**
provenance tests
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
Prunus serotina
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
Phenotype selection and half-sib family performance in black cherry. **28:251**
Pseudomonas cepacia
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
Pseudotsuga menziesii
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**
Estimating wood volumes for Douglas-fir and white fir from outside bark measurements. **28:172**
Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine, and noble fir to 10 years of age. **28:283**
Optimal stocking levels and rotation under risk. **28:711**
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**

Pressure chamber device to collect xylem sap from forest trees. **28:219**
A simple index of stand density for Douglas-fir. **28:92**
pulse stimulation
Improved rooting of western white pine shoots from tissue cultures. **28:822**
pyrolysis
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
Differential scanning calorimetry of forest fuels. **28:839**
quadratic mean diameter
Graphical estimation of quadratic mean diameters in the line intersect method. **28:852**
***Quercus* spp.**
Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**
Quercus rubra
Eastern hemlock allelopathy. **28:681**
Quercus macrocarpa
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
radiation
The diurnal asymmetry in the albedo of tropical forest vegetation. **28:297**
random sampling
An evaluation of techniques for sampling forest tree nutrient content. Part I. Sampling the crown for total nutrient content. **28:471**
An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content. **28:481**
rate of return
A note on forest land values and return on investment. **28:175**
recreational silviculture
Effects of user behavior on the perception of crowding in backcountry forest recreation. **28:95**
red pine (*see* ***Pinus resinosa***)
red spruce (*see* ***Picea rubens***)
reflection
The unbiasedness of the mirage correction procedure for boundary overlap. **28:504**
reforestation
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
Formation of mycorrhizae on nonmycorrhizal western hemlock outplantings on rotten wood and mineral soil. **28:706**
refracting prism
Sample plots on sloping ground. **28:2**
regression analysis
Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**
reproductive biology
Variation in the breeding system of *Acer grandidentatum*. **28:563**
resin canal
Genetic variation in oleoresin physiology of Scotch pine. **28:582**
resin acid
Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris*, *P. nigra*, and *P. strobus*. **28:785**
resin acids
Genetic variation in oleoresin physiology of Scotch pine. **28:582**
resource economics
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**
Rhizopogon luteolus
Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**
Rhizopogon roseolus
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**
rings missing
Comparison of two approaches for determining fire dates from tree scars. **28:856**
root competition
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
root development
Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**
root growth
Effect of selected natural and synthetic growth regulators on the growth of ponderosa pine seedlings. **28:156**
Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
root initiation
Improved rooting of western white pine shoots from tissue cultures. **28:822**
rooting
Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings. **28:337**
rotation
Optimal stocking levels and rotation under risk. **28:711**
rotation length effect
Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**
rotten wood
Formation of mycorrhizae on nonmycorrhizal western hemlock outplantings on rotten wood and mineral soil. **28:706**
rust resistance
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**
sal (*see* ***Shorea robusta***)
sale block harvesting
Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**
saltbush (*see* ***Atriplex***)
sample plots
Sample plots on sloping ground. **28:2**
sample points
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
sample size table
A sample size table for forest sampling. **28:777**
sampling
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**
Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands. **28:177**
sampling bias
The unbiasedness of the mirage correction procedure for boundary overlap. **28:504**
sampling intensity
A sample size table for forest sampling. **28:777**
sampling nutrient content
An evaluation of techniques for sampling forest tree

nutrient content. Part I. Sampling the crown for total nutrient content. **28:471**
An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content. **28:481**
sawmill mechanization
Labor intensity and sawmill scale in a labor surplus economy. **28:79**
saw-palmetto (*see* ***Serenoa repens***)
scenic beauty estimation (SBE)
Predicting scenic quality for mountain pine beetle and western spruce budworm damaged forest vistas. **28:827**
Scotch pine (*see* ***Pinus sylvestris***)
Scots pine (*see* ***Pinus sylvestris***)
seasonality of growth
A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**
seed covering
Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**
seed moisture
Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed. **28:526**
seed moisture content
Germination of green ash is related to seed moisture content at harvest. **28:809**
seed orchards
Selfing in clonal seed orchards of slash pine. **28:71**
seed production
Experimental inbreeding depression. **28:148**
seed source effects
Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**
seed viability
Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed. **28:526**
seedling cold storage
Cold storage of Fraser fir seedlings. **28:772**
seedling growth
Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *pinus ponderosa* seedlings. **28:237**
seedling growth promotion
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
seedling production
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
seedling quality
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
seedlings
Sulfur and nitrogen uptake by loblolly pine seedlings as influenced by nitrogen and sulfur addition. **28:725**
segmented regression
Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**
self-pollination
Selfing in clonal seed orchards of slash pine. **28:71**
sensitivity
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
Serenoa repens
Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**
sex expression
Variation in the breeding system of *Acer grandidentatum*. **28:563**
shading
Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs. **28:309**
shoot development acid variation
Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris*, *P. nigra*, and *P. strobus*. **28:785**
shoot growth
A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**
Shorea robusta
Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed. **28:526**
Shorea talura
Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed. **28:526**
short rotation
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
short rotation intensive culture (SRIC)
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus 'Tristis #1'* grown under intensive culture. **28:737**
simplicial graph
A theoretical note on spatial pattern of discs and properties of simplicial graph. **28:181**
simulated water budget
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
simulation
Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory. **28:753**
simulation model
A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees. **28:573**
site index
Site quality estimation using height and diameter. **28:639**
site index equations
Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**
site preparation
Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**
site quality
Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model. **28:544**
site quality estimation
Site quality estimation using height and diameter. **28:639**
slash pine (*see* ***Pinus elliottii***)
sloping ground
Sample plots on sloping ground. **28:2**
small-scale industry
Labor intensity and sawmill scale in a labor surplus economy. **28:79**
snowbrush ceanothus (*see* ***Ceanothus velutinus***)
softwood lumber
Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**
soil
Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**
soil expectation value
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**

soil fertility
Nitrogen accretion and availability in some snowbrush ecosystems. **28:720**
soil nitrogen accretion
Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation. **28:49**
soil-plant-atmosphere model
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
soil wood
N_2 fixation in brown-rotted soil wood in an Intermountain cedar-hemlock ecosystem. **28:292**
southern fusiform rust
Genotype-environment interaction in rust resistence in Mississippi loblolly pine. **28:797**
southern pine beetle outbreak
Estimating the annual probability of southern pine beetle outbreak. **28:202**
southern pine growth
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
southern pine seed
Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds. **28:539**
spatial distribution
Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed. **28:613**
spatial pattern
A theoretical note on spatial pattern of discs and properties of simplicial graph. **28:181**
specific heat
Differential scanning calorimetry of forest fuels. **28:839**
specific leaf weight
Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning. **28:599**
sporocarp-host association
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
spruce, black (*see* ***Picea mariana***)
spruce, blue (*see* ***Picea pungens***)
spruce, red (*see* ***Picea rubens***)
spruce, white (*see* ***Picea glauca***)
stand density index
A simple index of stand density for Douglas-fir. **28:92**
stand growth
A method for estimating ingrowth on permanent horizontal sample points. **28:110**
stand structures
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
stand table
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**
state variable
Optimal forest fire control: an extension of Parks' model. **28:345**
stem cuttings
Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings. **28:337**
stem nutrient sampling
An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content. **28:481**
stemflow
Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois. **28:321**
stocking levels
Optimal stocking levels and rotation under risk. **28:711**
stomatal conductance
Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**
Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response. **28:257**
stomatal resistance
Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus* '*Tristis* #1' grown under intensive culture. **28:737**
storage temperature effect
Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed. **28:526**
sugar maple (*see* ***Acer saccharum***)
Suillus cothurnatus
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646.**
Suillus granulatus
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**
Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings. **28:237**
sulfur
Sulfur and nitrogen uptake by loblolly pine seedlings as influenced by nitrogen and sulfur addition. **28:725**
sulphur dioxide
Foliar peroxidase and acid phosophatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
survival
Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine, and noble fir to 10 years of age. **28:283**
sweetgum (*see* ***Liquidambar styraciflura***)
switching cost
Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time. **28:697**
sycamore (*see* ***Platanus occidentalis***)
sycamore phytomass farm
Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**
symbionts
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**
The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
systematic sampling
An evaluation of techniques for sampling forest tree nutrient content. Part I. Sampling the crown for total nutrient content. **28:471**
An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content. **28:481**
systemic fungicide
Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**

talura (*see* ***Shorea talura***)
taper
Variable top volume and height predictors for slash pine trees. **28:274**
Taxodium distichum* var. *nutans
Wastewater enrichment increases mature pondcypress growth rates. **28:400**
technology
Technical change and productivity growth in the lumber and wood products industry. **28:135**
temperature effects
Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed. **28:526**
Thelephora terrestris
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation. **28:646**
Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**
thermal analysis
Characterization of the thermal properties of forest fuels by combustible gas analysis. **28:404**
thermogravimetric analysis
Differential scanning calorimetry of forest fuels. **28:839**
thinned loblolly tables
Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**
thinning
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**
Optimal stocking levels and rotation under risk. **28:711**
3-carene
Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**
throughfall
Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois. **28:321**
Thuja plicata
N_2 fixation in brown-rotted soil wood in an Intermountain cedar-hemlock ecosystem. **28:292**
timber price increase
A note on forest land values and return on investment. **28:175**
timber production optimization
Dynamic programming for optimization of timber production and grazing in ponderosa pine. **28:517**
tolerance
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
top diameter limit
Variable top volume and height predictors for slash pine trees. **28:274**
tracer
Evaluation of the tritiated water method for measurement of transpiration in young *Pinus taeda* L. **28:5**
transpiration
Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**
transpiration measurement
Evaluation of the tritiated water method for measurement of transpiration in young *Pinus taeda* L. **28:5**
tree-area ratio
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
tree competition estimating
Estimation of individual tree competition from horizontal point sample data. **28:45**
tree improvement
Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones. **28:661**
tree nutrient content
An evaluation of techniques for sampling forest tree nutrient content. Part I. Sampling the crown for total nutrient content. **28:471**
An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content. **28:481**
tree rings
Comparison of two approaches for determining fire dates from tree scars. **28:856**
Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees. **28:60**
triadimefon
Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama. **28:232**
***Trichoderma* sp.**
Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata*. **28:191**
Tritiated water (HTO)
Evaluation of the tritiated water method for measurement of transpiration in young *Pinus taeda* L. **28:5**
tropical forest vegetation
The diurnal asymmetry in the albedo of tropical forest vegetation. **28:297**
truncated esponential p.d.f.
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
Tsuga canadensis
Eastern hemlock allelopathy. **28:681**
Tsuga heterophylla
Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings. **28:373**
Formation of mycorrhizae on nonmycorrhizal western hemlock outplantings on rotten wood and mineral soil. **28:706**
N_2 fixation in brown-rotted soil wood in an Intermountain cedar-hemlock ecosystem. **28:292**
Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi. **28:423**
Pressure chamber device to collect xylem sap from forest trees. **28:219**
twig water stress
A comparison of twig water stress between males and females of six species of desert shrubs. **28:304**
understory
Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands. **28:359**
understory species effect
Allelopathic effects of common understory species on germination and growth of southern pines. **28:509**
uneven-aged stand structures
Calculation of theoretical uneven-aged stand structures with the exponential distribution. **28:105**
unthinned loblolly tables
Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**
upland forests
Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois. **28:321**
upland hardwood forest

Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois. **28:667**

urea

Sulfur and nitrogen uptake by loblolly pine seedlings as influenced by nitrogen and sulfur addition. **28:725**

vapor pressure deficit

Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**

variable top volume

Variable top volume and height predicators for slash pine trees. **28:274**

vegetative propagation

Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings. **28:813**

vesicular-arbuscular mycorrhizae

The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species. **28:531**

viability

Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed. **28:526**

virulence

A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme*. **28:745**

visual impact

Predicting scenic quality for mountain pine beetle and western spruce budworm damaged forest vistas. **28:527**

volume estimation

Graphical estimation of quadratic mean diameters in the line intersect method. **28:852**

volume equations

Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**

Butt log volume estimators. **28:489**

volume predictors

Variable top volume and height predictors for slash pine trees. **28:274**

volume tables

Estimating wood volumes for Douglas-fir and white fir from outside bark measurements. **28:172**

walnut, black (*see* ***Juglans nigra***)

wastewater enrichment

Wastewater enrichment increases mature pondcypress growth rates. **28:400**

water budget

Simulated water budgets for an irrigated sycamore phytomass farm. **28:17**

water potential

Genetic variation in oleoresin physiology of Scotch pine. **28:582**

Pressure chamber device to collect xylem sap from forest trees. **28:219**

water stress

A comparison of twig water stress between males and females of six species of desert shrubs. **28:304**

Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**

Weibull

Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**

weight equations

Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta. **28:355**

western hemlock (*see* ***Tsuga heterophylla***)

western spruce budworm scenic impact

Predicting scenic quality for mountain pine beetle and western spruce budworm damaged forest vistas. **28:827**

western white pine (*see* ***Pinus monticola***)

white fir (*see* ***Abies concolor***)

white pine (*see* ***Pinus strobus***)

white spruce (*see* ***Picea glauca***)

wood inputs

Derived demand for wood and other inputs in residential construction: a cost function approach. **28:207**

wood products industry

Technical change and productivity growth in the lumber and wood products industry. **28:135**

wood volume estimation

Graphical estimation of quadratic mean diameters in the line intersect method. **28:852**

wood volume measurement

Estimating wood volumes for Douglas-fir and white fir from outside bark measurements. **28:172**

xylem oleoresin

Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids. **28:687**

xylem sap collecting

Pressure chamber device to collect xylem sap from forest trees. **28:219**

xylem water potential

Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types. **28:627**

yield

Compatible stand and stock tables for thinned and unthinned loblolly pine stands. **28:161**

Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods. **28:115**

yield predicting

Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England. **28:31**

Number 1, March 1982

Evaluation of the tritiated water method for measurement of transpiration in young *Pinus taeda* L. ..... *Jeffrey C. Luvall, Charles E. Murphy, Jr.* 5

Simulated water budgets for an irrigated sycamore phytomass farm ..... *D. A. Crandall, R. J. Luxmoore* 17

Predicting the effects of rotation length, harvest intensity, and fertilization on fiber yield from northern hardwood forests in New England ..... *John D. Aber, Jerry M. Melillo, C. Anthony Federer* 31

Effect of *Alnus glutinosa* on hybrid *Populus* height growth in a short-rotation intensively cultured plantation ..... *Edward A. Hansen, Jeffrey O. Dawson* 49

Effects of chronic air pollution stress on photosynthesis, carbon allocation, and growth of white pine trees ..... *S. B. McLaughlin, R. K. McConathy, D. Duvick, L. K. Mann* 60

Selfing in clonal seed orchards of slash pine ..... *A. E. Squillace, R. E. Goddard* 71

Labor intensity and sawmill scale in a labor-surplus economy ..... *Jan G. Laarman* 79

Effects of user behavior on the perception of crowding in backcountry forest recreation ..... *Patrick C. West* 95

Estimating crown biomass in loblolly pine plantations in the Carolina flatwoods ..... *Todd E. Hepp, Graham H. Brister* 115

Hybridization among white, red, blue, and white × blue spruces ..... *Bruce C. Bongarten, James W. Hanover* 129

Technical change and productivity growth in the lumber and wood products industry ..... *Brian J. Greber, David E. White* 135

Experimental inbreeding depression ..... *Peter M. Burrows, George R. Askew* 148

Compatible stand and stock tables for thinned and unthinned loblolly pine stands ..... *Thomas G. Matney, Alfred D. Sullivan* 161

Notes

Sample plots on sloping ground ..... *Bengt Jonsson and Bertil Matérn* 2

Estimation of individual tree competition from horizontal point sample data ..... *George L. Martin* 45

A simple index of stand density for Douglas-fir ..... *Robert O. Curtis* 92

Calculation of theoretical uneven-aged stand structures with the exponential distribution ..... *Paul A. Murphy and Robert M. Farrar* 105

A method for estimating ingrowth on permanent horizontal sample points ..... *George L. Martin* 110

Effect of selected natural and synthetic growth regulators on the growth of ponderosa pine seedlings ..... *L. J. Heidmann* 156

Estimating wood volumes for Douglas-fir and white fir from outside bark measurements ..... *P. H. Cochran* 172

A note on forest land values and return on investment ..... *W. David Klemperer, Harry L. Haney, Jr., and John E. Gunter* 175

Regression estimation of litter and one hour timelag fuel loading in aspen-northern hardwood stands ..... *Carl D. Beyerhelm and Rodney W. Sando* 177

A theoretical note on spatial pattern of discs and properties of simplicial graph ..... *Peter J. Vincent and Jean Haworth* 181

Reviews

Waldbau of ökologischer Grundlage (Silviculture on an ecological basis). 5th Edition. Band 1. Der Wald als Vegetationstyp und seine Bedeutung für den Menschen (Vol. 1. The forest as vegetation type and its importance for man) ..... *Reviewed by R. K. Hermann* 70

Gradient modeling: Resource and fire management ..... *Reviewed by E. Lamar Smith* 127

Environmental protection and biological forms of control of pest organisms ..... *Reviewed by Mauro E. Martignoni* 187

Number 2, June 1982

Disease suppression and growth promotion in Douglas-fir seedlings by the ectomycorrhizal fungus *Laccaria laccata* ---- *W. A. Sinclair, D. M. Sylvia, A. O. Larsen* 191

Derived demand for wood and other inputs in residential construction: a cost function approach ---- *Mark L. Rockel, Joseph Buongiorno* 207

Litterfall patterns in mature loblolly and longleaf pine stands in coastal South Carolina ---- *Charles A. Gresham* 223

Seed source and mycorrhizal fungus effects on growth of containerized *Pinus contorta* and *Pinus ponderosa* seedlings ---- *Michael L. Cline, C. P. Patrick Reid* 237

Phenotype selection and half-sib family performance in black cherry ---- *John A. Pitcher* 251

Variation in photosynthesis and stomatal conductance in an ozone-stressed ponderosa pine stand: light response ---- *Patrick I. Coyne, Gail E. Bingham* 257

Variable top volume and height predictors for slash pine trees ---- *Thomas G. Matney, Alfred D. Sullivan* 274

Inbreeding depression in height, height growth, and survival of Douglas-fir, ponderosa pine, and noble fir to 10 years of age ---- *Frank C. Sorensen, Richard S. Miles* 283

The diurnal asymmetry in the albedo of tropical forest vegetation ---- *R. T. Pinker* 297

Growth responses of white fir to decreased shading and root competition by montane chaparral shrubs ---- *S. G. Conard, S. R. Radosevich* 309

Precipitation components as nutrient pathways in floodplain and upland forests of central Illinois ---- *David L. Peterson, Gary L. Rolfe* 321

Comparison of three methods of auxin application on rooting of eastern white pine stem cuttings ---- *Daniel K. Struve, Frank A. Blazich* 337

Optimal forest fire control: an extension of Parks' model ---- *Mahmut Parlar, R. G. Vickson* 345

Phytomass and nutrients in the understory and forest floor of slash/longleaf pine stands ---- *Walter A. Hough* 359

Commercial vegetative inoculum of *Pisolithus tinctorius* and inoculation techniques for development of ectomycorrhizae on container-grown tree seedlings ---- *D. H. Marx, J. L. Ruehle, D. S. Kenney, C. E. Cordell, J. W. Riffle, R. J. Molina, W. H. Pawuk, S. Navratil, R. W. Tinus, and O. C. Goodwin* 373

Characterization of the thermal properties of forest fuels by combustible gas analysis ---- *Ronald A. Susott* 404

Notes

Estimating the annual probability of southern pine beetle outbreak ---- *David D. Reed, Roy L. Hedden, and Richard F. Daniels* 202

Pressure chamber device to collect xylem sap from forest trees ---- *Joe B. Zaerr* 219

Effect of triadimefon (Bayleton) on ectomycorrhizae of loblolly and slash pines in Alabama ---- *W. D. Kelley* 232

N_2 fixation in brown-rotted soil wood in an intermountain cedar-hemlock ecosystem ---- *Michael J. Larsen, Martin F. Jurgensen, and Alan E. Harvey* 292

A comparison of twig water stress between males and females of six species of desert shrubs ---- *D. Carl Freeman and E. Durant McArthur* 304

Boxelder (*Acer negundo* L.) biomass component regression analysis for the Mississippi Delta ---- *Bryce E. Schlaegel* 355

Wastewater enrichment increases mature pondcypress growth rates ---- *John K. Nessel, Katherine Carter Ewel, and Michael S. Burnett* 400

Reviews

Structure, development, types—Seedlings of dicotyledons: Description of 150 woody Malesian taxa ---- *Reviewed by John C. Tappeiner, II* 190

The impact of three exotic plant species on a Potomac island ---- *Reviewed by Louis F. Conde* 201

Manuscript reviewers, 1981 ---- 332

ERRATA ---- 344

Number 3, September 1982

Patterns of ectomycorrhizal host specificity and potential among Pacific Northwest conifers and fungi ..... *Randy Molina, James M. Trappe* 423

Energy relationships for selected cultural investments ..... *P. R. Blankenhorn, T. W. Bowersox, R. E. Weyers* 459

An evaluation of techniques for sampling forest tree nutrient content. Part I. Sampling the crown for total nutrient content ..... *N. B. Comerford, A. L. Leaf* 471

An evaluation of techniques for sampling forest tree nutrient content. Part II. Sampling for stem nutrient content ..... *N. B. Comerford, A. L. Leaf* 481

Butt log volume estimators ..... *David Bruce* 489

Allelopathic effects of common understory species on germination and growth of southern pines ..... *C. A. Hollis, J. E. Smith, R. F. Fisher* 509

Dynamic programming for optimization of timber production and grazing in ponderosa pine ..... *Kurt Riitters, J. Douglas Brodie, David W. Hann* 517

The influence of vesicular-arbuscular mycorrhizae on the growth and development of eight hardwood tree species ..... *Paul P. Kormanik, Richard C. Schultz, William C. Bryan* 531

Polymorphic site index equations for loblolly pine based on a segmented polynomial differential model ..... *James S. Devan, Harold E. Burkhart* 544

Screening *Prosopis* (mesquite) for cold tolerance ..... *Peter Felker, Peter R. Clark, Phyllis Nash, Joseph F. Osborn, G. H. Cannell* 556

Variation in the breeding system of *Acer grandidentatum* ..... *Philip A. Barker, D. Carl Freeman, Kimball T. Harper* 563

A simulation model for daily growth of shoots, needles, and stem diameter in Scots pine trees ..... *I. Pietarinen, M. Kanninen, P. Hari, S. Kellomäki* 573

Genetic variation in oleoresin physiology of Scotch pine ..... *M. R. Bridgen, J. W. Hanover* 582

DMLOSS: a simulator of losses in dwarf mistletoe infested black spruce stands ..... *F. A. Baker, D. W. French, D. W. Rose* 590

Effects of defoliation in the developing leaf zone on young *Populus* × *euramericana* plants. I. Photosynthetic physiology, growth, and dry weight partitioning ..... *John H. Bassman, Donald I. Dickmann* 599

Retention and spatial distribution of mineral nitrogen in the forest floor of an aerially fertilized watershed ..... *Paul A. Arp, Helmut H. Krause* 613

Diurnal and seasonal changes in leaf conductance, xylem water potential, and abscisic acid of Douglas-fir (*Pseudotsuga menziesii* (Mirb.) Franco) in five habitat types ..... *Ellyn M. Murphy, William K. Ferrell* 627

Site quality estimation using height and diameter ..... *Benjamin B. Stout, Durland L. Shumway* 639

Ectomycorrhizal characteristics, growth, and survival of artificially inoculated ponderosa and Scots pine in a greenhouse and plantation ..... *Jerry W. Riffle, Richard W. Tinus* 646

Notes

The unbiasedness of the mirage correction procedure for boundary overlap ..... *Timothy G. Gregoire* 504

Effect of storage temperatures on the viability of sal (*Shorea robusta*) and talura (*Shorea talura*) seed ..... *A. N. Purohit, M. M. Sharma, and R. C. Thapliyal* 526

Imbibition, desiccation, and reimbibition effects on light requirements for germinating southern pine seeds ..... *T. E. Campbell* 539

Foliar peroxidase and acid phosphatase activity response to low level SO_2 exposure in eastern white pine clones ..... *Robert T. Eckert and Daniel B. Houston* 661

Reviews

Age and growth rate of tropical trees: new directions for research ..... *Reviewed by John J. Ewel* 422

Structure and function of northern coniferous forests—An ecosystem study ..... *Reviewed by Richard H. Waring* 469

Xylem cell development ..... *Reviewed by Philip R. Larson* 487

Dipterocarps. An annotated bibliography, No. F18(1) and (2) ..... *Reviewed by William K. Ferrell* 488

Stomatal physiology ..... *Reviewed by Jon D. Johnson* 516

Number 4, December 1982

Nutrient dynamics and decomposition of litterfall in floodplain and upland forests of central Illinois — *David L. Peterson, Gary L. Rolfe* 667

Inheritance of β-pinene in xylem oleoresin of knobcone × Monterey pine hybrids — *Steven H. Strauss, William B. Critchfield* 687

Harvest site sequencing and optimal stopping rules for harvesting multiple sale blocks over time — *Thomas D. Bible* 697

Optimal stocking levels and rotation under risk — *Chiang Kao* 711

Sulfur and nitrogen uptake by loblolly pine seedlings as influenced by nitrogen and sulfur addition — *J. M. Kelly, D. W. Johnson* 725

Photosynthesis, leaf conductance, and specific leaf weight in long and short shoots of *Populus* 'Tristis #1' grown under intensive culture — *Neil D. Nelson, Donald Michael* 737

A population genetic model of the alternate host system of *Cronartium quercuum* f. sp. *fusiforme* — *J. P. van Buijtenen* 745

Application of empirical Bayes/James-Stein procedures to simultaneous estimation problems in forest inventory — *Thomas E. Burk, Alan R. Ek* 753

A sample size table for forest sampling — *Howard B. Stauffer* 777

Variation in needle and cortex resin acids during shoot development in *Pinus sylvestris, P. nigra,* and *P. strobus* — *James J. Tobolski, Duane F. Zinkel* 785

Genotype-environment interaction in rust resistance in Mississippi loblolly pine — *Osborn O. Wells, George L. Switzer, Warren L. Nance* 797

Carbohydrate and amino acid concentrations during adventitious root primordium development in *Pinus banksiana* Lamb. cuttings — *Bruce E. Haissig* 813

Predicting scenic quality for mountain pine beetle and western spruce budworm damaged forest vistas — *Gregory J. Buhyoff, J. Douglas Wellman, Terry C. Daniel* 827

Differential scanning calorimetry of forest fuels — *Ronald A. Susott* 839

Notes

Eastern hemlock allelopathy — *H. A. Ward and L. H. McCormick* 681

Formation of mycorrhizae on nonmycorrhizal western hemlock outplanted on rotten wood and mineral soil — *Bradley R. Kropp* 706

Nitrogen accretion and availability in some snowbrush ecosystems — *Dan Binkley, Kermit Cromack, Jr., and Richard L. Fredriksen* 720

Cortical monoterpene variation in 12 loblolly pine provenances planted in Tennessee — *John McRae and Eyvind Thor* 732

Cold storage of Fraser fir seedlings — *L. Eric Hinesley* 772

Germination of green ash is related to seed moisture content at harvest — *W. H. Cram and C. H. Lindquist* 809

Improved rooting of western white pine shoots from tissue cultures — *H. V. Amerson and R. L. Mott* 822

Graphical estimation of quadratic mean diameters in the line intersect method — *C. E. Van Wagner* 852

Comparison of two approaches for determining fire dates from tree scars — *Michael H. Madany, Thomas W. Swetnam, and Neil E. West* 856

ECOPASS—A multivariate model used as an index of growth performance of poplar clones — *R. Ceulemans and I. Impens* 862

Reviews

Plants and their atmospheric environment — *Reviewed by C. Anthony Federer* 666

Eucalyptus seed — *Reviewed by R. E. Farmer, Jr.* 776

Woodland conservation and management — *Reviewed by J. V. Thirgood* 825

Giant sequoia ecology — *Reviewed by N. Stark* 867

Regional silviculture of the United States — *Reviewed by E. A. Kurmes* 868

Nitrogen cycling in West African ecosystems — *Reviewed by James R. Gosz* 869

Announcements
WEIBUL: A program to estimate parameters of forms of the Weibull distribution using complete, censored, and truncated data 784
Sixth North American forest soils conference, June 19–23, 1983, Knoxville, Tennessee 812
Author index 870
Key-word index 871

U.S. POSTAL SERVICE
STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	1A. PUBLICATION NO.	2. DATE OF FILING
Forest Science		October 7,1982
3. FREQUENCY OF ISSUE: Quarterly	3A. NO. OF ISSUES PUBLISHED ANNUALLY: 4	3B. ANNUAL SUBSCRIPTION PRICE: Individual U.S. 20 Foreign 24; Institution 33 37

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*
5400 Grosvenor Lane, Bethesda, Montgomery, Maryland 20814

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*
5400 Grosvenor Lane, Bethesda, Maryland 20814

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR *(This item MUST NOT be blank)*

PUBLISHER *(Name and Complete Mailing Address)*
Society of American Foresters, 5400 Grosvenor Lane, Bethesda, MD 20814

EDITOR *(Name and Complete Mailing Address)*
Gregory N. Brown, College of Forestry Univ of Minn. St. Paul, Minn. 55108

MANAGING EDITOR *(Name and Complete Mailing Address)*
None

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed)*

FULL NAME	COMPLETE MAILING ADDRESS
Society of American Foresters	5400 Grosvenor Lane Bethesda, MD 20814

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

FULL NAME	COMPLETE MAILING ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 411.3, DMM only)*
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes *(Check one)*

[X] (1) HAS NOT CHANGED DURING PRECEDING 12 MONTHS
[ ] (2) HAS CHANGED DURING PRECEDING 12 MONTHS

(If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES *(Net Press Run)*	2,075	2,100
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		
2. MAIL SUBSCRIPTION	1,816	1,784
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*		
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	53	53
E. TOTAL DISTRIBUTION *(Sum of C and D)*	1,869	1,837
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	206	263
2. RETURN FROM NEWS AGENTS		
G. TOTAL *(Sum of E, F1 and 2 - should equal net press run shown in A)*	2,075	2,100

11. I certify that the statements made by me above are correct and complete

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER: John R. Maguire, Director of Business and Finance

PS Form 3526 (Page 1) June 1980 *(See instruction on reverse)*